

# Ambu® aScope™ 4 RhinoLaryngo Slim

## DATASHEET

An excellent choice for nasal endoscopy, flexible laryngoscopy and swallowing assessments.

The single-use aScope™ 4 RhinoLaryngo Slim video endoscope is designed with a small 3.0 mm outer diameter to help minimize patient discomfort during procedures. It delivers high quality imaging, is always ready and requires no reprocessing or repairs.

### **Excellent imaging helps you perform procedures confidently**

The combination of the high image quality from the aScope™ 4 RhinoLaryngo Slim with the full-HD Ambu® aView™ 2 Advance monitor delivers excellent imaging. You can count on clear sharp images, which make it easy to identify anatomical structures.

### **Single-use efficiency streamlines your workflow**

Whether you're on a consult or in the clinic, time is always of the essence. aScope™ 4 RhinoLaryngo is always available and easy to take with you streamlining your entire workflow.

### **The world's first rhinolaryngoscope with bioplastic material**

The use of bioplastics in our aScope™ 4 RhinoLaryngo Slim reduces the carbon footprint of the ABS plastics utilised for the production of our rhinolaryngoscope handles by 70 %. The material is sourced from by-products and waste, such as used cooking oil, which do not compete with food and agriculture production.



## KEY BENEFITS

High quality imaging on the full-HD monitor  
Ambu® aView™ 2 Advance

It's an always available solution that supports increasing patient volumes

Improves workflow with no hassle of cleaning and repair

Wide range of connectivity options

A brand-new endoscope with the same high quality at every procedure

The world's first rhinolaryngoscopes with bioplastic material in the handle

## SPECIFICATIONS

### Optical system

Field of view	85°
Direction of view	0° (forward viewing)
Depth of field	6 - 50 mm
Illumination method	LED

### Insertion portion

Bending section	130° up, 130° down
Insertion cord diameter	3.0 mm (0.12")
Distal tip diameter	3.5 mm (0.14")
Maximum diameter of insertion portion	3.5 mm (0.14")
Working length	300 mm (11.8")

### Storage

Temperature*	10 - 25 °C (50 to 77 °F)
Relative humidity	10 - 85 %
Atmospheric pressure	50 - 106 kPa

### Transportation

Temperature	-10 - 55 °C (14 to 131 °F)
Relative humidity	10 - 95 %
Atmospheric pressure	50 - 106 kPa

### Operating environment

Temperature	10 - 40 °C (50 to 104 °F)
Relative humidity	30 - 85 %
Atmospheric pressure	80 - 106 kPa
Altitude	≤ 2000 m

### Sterilisation

Method of sterilisation	ETO
-------------------------	-----

### Sustainability

Handle material	Bio-attributed ABS plastic
-----------------	----------------------------

## ORDERING SPECIFICATIONS\*\*

Item no.	Quantity
510001000 - aScope 4 RhinoLaryngo Slim	5

\* Storage under higher temperatures may impact shelf life.

\*\* aScope 4 RhinoLaryngo Slim is not available for sale in all countries.  
Please contact your local Ambu sales representative.




Learn more about Ambu's sustainability initiatives:

<https://www.ambu.com/endoscopy/single-use-endoscopy/environment>



Ambu® aScope™ 4 RhinoLaryngo Slim and Ambu® aView™ 2 Advance



aScope™ 4 RhinoLaryngo Slim is always comfortable to hold thanks to its lightweight and ergonomic design

**Ambu** FOREVER FORWARD

#### Ambu A/S

Baltorpbakken 13  
2750 Ballerup  
Denmark  
T +45 72 25 20 00  
ambu.com

CE 2797